

SECTION I: IDENTIFICATION**1.1 Product Identifier**

Product Name: Lonseal #650 Two-Component, Solvent-Free Epoxy Adhesive, Part B
 Product Code(s): ZAD650.5, ZAD6501

1.2 Relevant Identified Uses and Uses Advised Against

Product Use: Sheet vinyl flooring adhesive (see Technical Data Sheet for additional details)
 Product Restrictions: For use with sheet vinyl flooring only (see Technical Data Sheet for additional details)

1.3 Details of the Supplier of the Safety Data Sheet

Manufactured for: Lonseal, Inc.
 Address: 928 E. 238th Street
 Carson, CA 90745
 (310) 830-7111

24 Hour Emergency Phone Number(s): INFOTRAC – U.S. & Canada: 1-800-535-5053
 International: 1-352-353-3500

SECTION 2: HAZARD(S) IDENTIFICATION**2.1 Classification of the Substance or Mixture**

Acute Toxicity, Category 2:

Skin Corrosion/Irritation, Category 1B:

Serious Eye Damage/Irritation, Category 1:

Skin Sensitizer, Category 1B:

Toxic to Reproduction, Category 2:

Specific Target Organ Toxicity, Single Exposure, Category 3:

Aquatic, Chronic, Category 3:

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

2.2 Label Elements

Signal Word: DANGER

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H335 May cause respiratory irritation.
 H361fd Suspected of damaging fertility or the unborn child.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist/vapors/spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves, protective clothing, eye protection, and face protection.
 P284 In case of inadequate ventilation wear respiratory protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P310 Immediately call a doctor.

P312 Call a POISON CENTER if you feel unwell.
 P320 Specific treatment is urgent (see supplementary instructions on this label).
 P333+P313 If skin irritation or rash occurs: Get Medical advice/attention.
 P363 Wash contaminated clothing before reuse.

Storage Statement(s)

P405 Store locked up.

Disposal Statement(s)

P501 Dispose of contents/container in accordance with applicable regulations

2.3 Other Hazards

None noted by the manufacturer.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**Substances**

n/a

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Ingredient/Chemical Name	CAS Number	Weight %	Classification*
1,3-Bis(3-(dimethylamino)propyl)urea	52338-87-1	25 – 50	Eye Irrit. 2A: H319 Skin Irrit. 2: H315
Diethylene triamine	111-40-0	25 – 50	Acute Tox. 4: H302 Acute Tox. 4: H312 Skin Corr. 1B: H314 Skin Sens. 1B: H317 Eye Dam. 1: H318 Acute Tox. 2: H330 STOT SE 3: H335 Aquatic Chronic 3: H412
Bisphenol A	80-5-7	10 – 20	Skin Sens. 1: H317 Eye Dam. 1: H318 STOT SE 3: H335 Repr. Tox. 2: H361
Diethylenetriamine reaction product with bisphenol A, epichlorohydrin polymer	68610-56-0	10 – 20	Skin Irrit. 2: H315 Eye Irrit. 2A: H319

*The full text of the GHS Hazards Statement may be found in Section 16.

SECTION 4: FIRST-AID MEASURES**4.1 Description of necessary first-aid measures**

Eyes: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.

Ingestion: Do not induce vomiting; get medical attention, showing the SDS and the hazard label.

Inhalation: If breathing is irregular or stopped, administer artificial respiration. In case of inhalation, consult a doctor immediately, showing the SDS and the hazard label.

Skin: Immediately take off all contaminated clothing. OBTAIN IMMEDIATE MEDICAL ATTENTION. Obtain medical attention if skin related symptoms persist. Remove contaminated clothing immediately and dispose of safely. After contact with skin, wash immediately with soap and plenty of water.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Eye irritation, eye damages, skin irritation, and erythema

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

Water, carbon dioxide (CO₂)

Unsuitable extinguishing media: None in particular

5.2 Specific Hazards Arising from the Substance or Mixture

Do not inhale explosion and combustion gases.
Burning produces heavy smoke.

Hazardous Combustion Products: n/a

Explosive Properties: n/a

Oxidizing Properties: n/a

5.3 Special Protective Actions for Fire-Fighters

Use suitable breathing apparatus.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Wear personal protection equipment (PPE).
Wear breathing apparatus if exposed to vapors/dusts/aerosols.
Provide adequate ventilation.
Use appropriate respiratory protection.
See protective measures under Sections 7 and 8.

6.2 Environmental Precautions

Not noted by mfg.

6.3 Methods and Materials for Containment and Cleaning Up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes, and inhalation of vapors and mists.
Exercise the greatest care when handling or opening container.
Do not use on extensive surface areas in premises where there are occupants.
Use localized ventilation system.
Do not use empty containers before they have been cleaned.
Before making transfer operations, assure that there are not any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also Section 8 for recommended protective equipment.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage Temperature: n/a

Incompatible Components: None in particular

Instructions as regards storage premises: Cool and adequately ventilated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control Parameters**

List of components with OEL value:

Component	Source	Short Term	Long Term	Behavior	Note
Diethylene triamine	ACGIH		1 ppm		Skin – potential significant contribution to overall exposure by the cutaneous route; eye and upper respiratory tract irritation
	MAK (Austria)		1 ppm 4 mg/m ³		
	MAK (Switzerland)		1 ppm 4 mg/m ³		
Bisphenol A	EU		10 mg/m ³	Indicative	
	MAK (Austria)	5 mg/m ³	2 mg/m ³		
	MAK (Germany)		5 mg/m ³		
	MAK (Switzerland)		5 mg/m ³		

8.2 Appropriate Engineering Controls

n/a

8.3 Appropriate Protection Measures, Including Personal Protective Equipment

Eye Protection: Use close fitting safety goggles. Do not use eye lenses.

Respiratory Protection: Use adequate protective respiratory equipment.

Skin Protection: Use clothing that provides comprehensive protection to the skin (e.g. cotton, rubber, PVC, or Viton).

Hand Protection: Use protective gloves that provide comprehensive protection (e.g. PVC, neoprene, or rubber).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid
Odor:	Like Amines
Odor Threshold:	n/a
pH:	n/a
Melting Point/Freezing Point:	n/a
Initial Boiling Point and Boiling Range:	n/a
Flash Point:	>100 °C (212 °F)
Evaporation Rate:	n/a
Flammability (Solid, Gas):	Not noted by mfg.
Upper/Lower Flammability or Explosive Limits:	n/a
Vapor Pressure:	n/a
Vapor Density:	n/a
Relative Density:	0.98 g/cm ³
Solubility in Water:	n/a
Partition Coefficient (n-octanol/water):	n/a
Auto-Ignition Temperature:	n/a
Decomposition Temperature:	n/a
Viscosity:	n/a
Substance groups relevant properties	n/a
Miscibility	n/a
Fat Solubility	n/a
Conductivity	n/a

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Stable under normal conditions

10.2 Chemical Stability

Data not available

10.3 Possibility of Hazardous Reactions

None

10.4 Conditions to Avoid

Stable under normal conditions

10.5 Incompatible Materials

None in particular

10.6 Hazardous Decomposition Products

None

SECTION 11: TOXICOLOGICAL INFORMATION**Toxicological Information of the Mixture:**

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on Main Components of the Mixture:

Diethylene triamine	a) acute toxicity	LC50 Inhalation, Rat = 70 mg/L (4h) LD50 Oral, Rat = 819 mg/kg LD50 Oral, Rat = 1080 mg/kg LD50 Skin, Rabbit = 672 mg/kg
Bisphenol A	a) acute toxicity	LC50 Inhalation, Rat > 17 mg/L (6h) LC50 Inhalation, Rat > 170 mg/m ³ (6h) LD50 Oral, Rat = 3200 mg/kg LD50 Oral, Rat = 3300 mg/kg LD50 Skin, Rabbit = 3000.00000 mg/kg LD50 Skin, Rabbit = 3 mL/kg

If not differently specified, the information required in the regulation and listed below must be considered as n/a:

Acute toxicity, skin corrosion/irritation, serious eye damage/irritation, respiratory or skin sensitization, germ cell mutagenicity, carcinogenicity, reproductive toxicity, STOT-single exposure, STOT-repeated exposure, aspiration hazard, and toxicological kinetics, metabolism, and distribution information.

Substance(s) listed on the IARC Monographs:	None
Substance(s) listed as OSHA Carcinogen(s):	None
Substance(s) listed as NIOSH Carcinogen(s):	None
Substance(s) listed on the NTP Report on Carcinogen(s):	None

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with Eco-Toxicological Properties (Aquatic Acute Toxicity):

Component

Diethylene triamine

EC50 Algae (72h)	EC50 Algae (96h)	EC50 Daphnia (24h)	EC50 Daphnia (48h)	LC50 Fish (96h)
P. subcapitata 1164 mg/L (IUCLID)	P. subcapitata 345.60000 mg/L (EPA); D. subspicatus 592 mg/L (IUCLID)	D. magna 37.00000 mg/L	D. magna 16.00000 mg/L; D. magna 16 mg/L (IUCLID)	L. idus 430.00000 mg/L; P. reticulata 1014 mg/L (EPA); P. reticulata 248 mg/L (IUCLID)

Bisphenol A

EC50 Algae (96h)	EC50 Daphnia (48h)	LC50 Fish (96h)
P. subcapitata 2.50000 mg/L (IUCLID)	D. magna 3.90000 mg/L; D. magna 9.2 mg/L (EPA); D. magna 3.9 mg/L (IUCLID); D. magna 10.20000 mg/L (IUCLID)	P. promelas 3.60000 mg/L (EPA); P. promelas 4 mg/L (EPA); B. rerio 9.90000 mg/L (IUCLID); O. mykiss 4 mg/L (IUCLID)

12.2 Persistence and Degradability

n/a

12.3 Bioaccumulative Potential

n/a

12.4 Mobility in Soil

n/a

12.5 Other Adverse Effects

n/a

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of Disposal:

Disposal of this product, solutions, packaging, and any by-product should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional or local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Do not dispose of waste into sewers.

Disposal Considerations:

Do not allow to enter drains or watercourses. Dispose of product and containers contaminated by the product according to all federal, state, and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply, and the appropriate code should be assigned. For further information, contact your local waste authority.

Special Precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated, empty containers. Avoid dispersal of spilled material and runoff, and contact with soil, waterways, drains, and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

	DOT/ADR	IMO/IMDG	ICAO/IATA
UN Number:	UN2079	2079	2079
UN Proper Shipping Name:	Diethylenetriamine	Diethylenetriamine	Diethylenetriamine
Transport Hazard Class(es):	8	8	8
Packing Group:	II	II	II
Environmental Hazards:	Marine Pollutant: No	Environmental Pollutant: n/a	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	n/a		
Special Precautions for User:			
DOT:			
Special Provision(s):		B2, IB2, T7, TP2	
Label(s):		8	
Symbol:		n/a	
Cargo Aircraft:		n/a	
Passenger Aircraft:		n/a	
Bulk:		n/a	
Non-Bulk:		n/a	
ADR-RID:			
Label:		8	
Hazard Identification Number:		80	
Transport Category (Tunnel Restriction Code):		2 (E)	
IATA:			
Passenger Aircraft:		851	
Cargo Aircraft:		855	
Label:		8	
Subsidiary Hazards:		-	
ERG:		8L	
Special Provision(s):		-	
IMDG:			
Stowage Code:		Category A	
Stowage Note:		Clear of living quarters. "Separated from" acids.	
Subsidiary Hazards:		-	
Special Provision(s):		-	
Page:		n/a	
Label:		n/a	
EMS:		F-A, S-B	
MFAG:		n/a	

SECTION 15: REGULATORY INFORMATION

Toxic Substance Control Act (TSCA): All components are listed on the TSCA Inventory.

Listed Substance(s)	Section
1,3Bis(3-(dimethylamino)propyl)urea	8b
Diethylene triamine	8b
Bisphenol A	8b
Diethylenetriamine reaction product with bisphenol A, epichlorohydrin polymer	8b

Superfund Amendments and Reauthorization Act (SARA)

Section 302 – Extremely Hazardous Substances: No substances listed

Section 304 – Hazardous Substances: No substances listed

Section 313 – Toxic Chemical List: Bisphenol A

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
Listed Substance(s): No substances listed

Clean Air Act (CAA)
Listed Substance(s): Bisphenol A [§112(b) – HON]

Clean Water Act (CWA)
Listed Substance(s): No substances listed

USA – State Regulations
California Proposition 65: Bisphenol A (reproductive toxicant)
Massachusetts RTK: Diethylene triamine
Bisphenol A
New Jersey RTK: Diethylene triamine
Bisphenol A
Pennsylvania RTK: Diethylene triamine
Bisphenol A

Canada – Federal Regulations
Domestic Substances List (DSL): All the substances are listed in the DSL
Non-Domestic Substances List (NDSL): No substances listed
National Pollutant Release Inventory (NPRI): No substances listed


SECTION 16: OTHER INFORMATION

Additional Classification Information:

HMIS:

Lonseal #650, Part B	
HEALTH	* 3
FLAMMABILITY	1
PHYSICAL HAZARD	1
PERSONAL PROTECTION	C

NFPA:



Full Text of GHS Hazard Statements from Section 3:

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H412 Harmful to aquatic life with long lasting effects.

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or in any other process. The manufacturer makes no representations and assumes no liability for any direct, incidental, or consequential damages resulting from its use. The information herein is presented in good faith and based upon data from manufacturers or technical sources, and is believed to be accurate as of the revision date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State, or local laws. Conditions of use are beyond Lonseal's control and therefore users are responsible to verify this data under their own conditions to determine suitability for their purpose. Users of this product must comply with all applicable health and safety laws, regulations, and orders. Users of this product assume all risks of use, handling, and disposal, or from use of the information contained within this document.

General Statements:

Keep out of the reach of children.
For professional or industrial use only.
If you cannot read, or do not understand all directions, cautions, and warnings for this product, DO NOT use.

Abbreviations (may not actually appear within document):

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	Accord européen relatif au transport international de marchandises Dangereuses par Route (European agreement for the international carriage of Dangerous goods by Road)
Asp.	Aspiration
ATE	Acute Toxicity Estimate
bw	Body Weight
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CFR	Code of Federal Regulations
CLP	Classification, Labeling, and Packaging
CMR	Carcinogenicity, Mutagenicity, and Toxicity for Reproduction
CNS	Central Nervous System
cSt	Centistokes
d	Day(s)
Dam.	Damage
DIN	Deutsches Institut für Normung (German Institute for Standardization)
DNEL	Derived No Effect Level
DOT	Department of Transportation
EC	European Commission
EC0	Effective Concentration for 0% of Test Population
EC10	Effective Concentration for 10% of Test Population
EC50	Effective Concentration for 50% of Test Population
EC90	Effective Concentration for 90% of Test Population
EC100	Effective Concentration for 100% of Test Population
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
ErC50	Effective Concentration for 50% of Test Population
ERG	Emergency Response Guidebook
EU	European Union
Flam.	Flammable
g	Gram(s)
GHS	Globally Harmonized System
h	Hour(s)
Haz.	Hazard
HMIS	Hazardous Materials Identification System
hPa	Hectopascal(s)
hr.	Hour(s)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IOELV	Indicative Occupational Exposure Limit Values
Irrit.	Irritation
IUCLID	International Uniform Chemical Information Database
kg	Kilogram(s)
KOW	n-Octanol/Water Partition Coefficient
L	Liter(s)
lbs.	pounds
LC50	Lethal Concentration for 50% of Test Population
LC100	Lethal Concentration for 100% of Test Population
LD50	Lethal Dose for 50% of Test Population
Liq.	Liquid
LOEC	Lowest Observed Effect Concentration
LTEL	Long-Term Exposure Limit
m	Meter(s)
MAK	Maximale Arbeitsplatz-Konzentration (Maximum Workplace Concentration)

MARPOL	Maritime Pollution
mfg.	Manufacturer
mg	Milligram(s)
min	Minute(s)
mL	Milliliter(s)
mPa	Millipasacal(s)
Muta.	Germ Cell Mutagenicity
n/a	Not Applicable or Not Available
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NOEC	No Observed Effect Concentration
NTP	National Toxicology Program
n.o.s.	Not Otherwise Specified
OEL	Occupational Exposure Limits
OSHA	Occupational Safety and Health Administration
Pa	Pascal(s)
Pa-s	Pascal second(s)
PBT	Persistent Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
PNEC	Predicted No Effect Concentration
PPE	Personal Protective Equipment
ppm	Parts Per Million
PVC	Polyvinyl Chloride
Repr.	Reproductive
Respir.	Respiratory
RQ	Reportable Quantities
RTK	Right-to-Know
SDS	Safety Data Sheet
Sens.	Sensitization
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
STOT RE	Specific Target Organ Toxicity, Repeat Exposure
STOT SE	Specific Target Organ Toxicity, Single Exposure
TCC	Tagliabue Closed Cup
THF	Tetrahydrofuran
TLV	Threshold Limit Value
Tox.	Toxicity
TWA	Time Weighted Average
UN	United Nations
US	United States
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

Revision History:

6.1.2015	Initial SDS Release. SDS provided by mfg. was incorporated into Lonseal's letterhead/layout. Items contained within Section 16, from "DISCLAIMER" and below, are exclusive to Lonseal's version of the SDS.
9.15.2015	SDS updated to match the most recently supplied manufacturer's revision, and added a new product code. Sections revised: 1.1, 2.1, 2.2, 2.3, 3, 4.1, 4.2, 5.2, 6.1, 7.1, 11, 12.1, 15, and 16.
9.6.2016	SDS updated to match the most recently supplied manufacturer's revision. Sections revised: 1, 2, 3, 4.1, 5.1, 6.1, 7, 8.1, 9, 11, 12.1, 14, 15, and 16.
9.9.2016	Title block revised to correctly note "Part B", instead of "Part A".
5.20.2021	SDS formatting updated. Minor grammar and typo corrections. Sections 2, 3, 8, 11, 12, and 15 updated to match most current revision from the manufacturer. HMIS and NFPA symbols replaced the listed values under Section 16. Updated abbreviations list under Section 16.
2.23.2023	Information updated to match the most current SDS from the manufacturer.